

Serial No. 10/701,293

Docket No. 3399-4006US1

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (currently amended) A delivery capsule having at least two separate chambers, the capsule including a dividing wall or septum defining in part two separate chambers, wherein the dividing wall or septum comprises two layers of material adhered together with an adhesive material.

2-14. (canceled)

15. (currently amended) A delivery capsule having at least two separate chambers, the capsule including a dividing wall or septum defining in part two separate chambers, wherein the dividing wall or septum comprises two layers of material adhered together with an adhesive material.

16. (previously presented) A capsule according to claim 15, wherein each chamber contains a different material.

17. (previously presented) A capsule according to claim 15, wherein each chamber contains a metered dose of a material.

18. (previously presented) A capsule according to claim 16, wherein each chamber contains a metered dose of a material

19. (previously presented) A capsule according to claim 15, wherein the dividing wall or septum comprises a median wall symmetrically arranged to form two chambers of similar size and shape.

20. (previously presented) A capsule according to claim 16, wherein the dividing wall or septum comprises a median wall symmetrically arranged to form two chambers of similar size and shape.

Serial No. 10/701,293

Docket No. 3399-4006US1

21. (previously presented) A capsule according to claim 17, wherein the dividing wall or septum comprises a median wall symmetrically arranged to form two chambers of similar size and shape.

22. (previously presented) A capsule according to claim 15, formed from a heat-sealable material that is capable of deforming plastically on heating and/or when partially solvated.

23. (currently amended) A capsule according to claim 16, formed from a heat-sealable material that is capable of deforming plastically on heating and/or when partially solvated.

24. (currently amended) A capsule according to claim 17, formed from a heat-sealable material that is capable of deforming plastically on heating and/or when partially solvated.

25. (currently amended) A capsule according to claim 19, formed from a heat-sealable material that is capable of deforming plastically on heating and/or when partially solvated.

26. (previously presented) A capsule according to claim 22, wherein the capsule is formed from one or more materials selected from the group consisting of: hydroxy propyl methyl cellulose, pectin, polyethylene oxide, polyvinyl alcohol, alginate, polycaprolactone, and gelatinised starch based materials.

27. (previously presented) A capsule according to claim 26, wherein at least part of the capsule material carries a coating.

28. (previously presented) A capsule according to claim 15, wherein said at least two chambers are designed to release their contents under similar circumstances.

Serial No. 10/701,293

Docket No. 3399-4006US1

29. (previously presented) A capsule according to claim 16, wherein said at least two chambers are designed to release their contents under similar circumstances.

30. (previously presented) A capsule according to claim 17, wherein said at least two chambers are designed to release their contents under similar circumstances.

31. (previously presented) A capsule according to claim 19, wherein said at least two chambers are designed to release their contents under similar circumstances.

32. (previously presented) A capsule according to claim 22, wherein said at least two chambers are designed to release their contents under similar circumstances.

33. (previously presented) A capsule according to claim 26, wherein said at least two chambers are designed to release their contents under similar circumstances.

34. (previously presented) A capsule according to claim 27, wherein said at least two chambers are designed to release their contents under similar circumstances.

35. (previously presented) A capsule according to claim 15, wherein said at least two chambers are designed to release their contents under different circumstances.

36. (previously presented) A capsule according to claim 16, wherein said at least two chambers are designed to release their contents under different circumstances.

37. (previously presented) A capsule according to claim 17, wherein said at least two chambers are designed to release their contents under different circumstances.

38. (previously presented) A capsule according to claim 19, wherein said at least two chambers are designed to release their contents under different circumstances.

39. (previously presented) A capsule according to claim 22, wherein said at least two chambers are designed to release their contents under different circumstances.

Serial No. 10/701,293

Docket No. 3399-4006US1

40. (previously presented) A capsule according to claim 26, wherein said at least two chambers are designed to release their contents under different circumstances.

41. (previously presented) A capsule according to claim 27, wherein said at least two chambers are designed to release their contents under different circumstances.

42. (previously presented) A capsule according to claim 28, wherein said at least two chambers are designed to release their contents under different circumstances.

43. (previously presented) A capsule according to claim 35, wherein different chambers of the capsule are defined at least in part by different materials.

44. (previously presented) A capsule according to any one of claims 15, 16, 17, 19, 22, 26, 27, 28, or 35, wherein the capsule is formed at least in part from hydroxy propyl methyl cellulose.

45. (previously presented) A capsule according to claim 44, wherein at least part of the hydroxy propyl methyl cellulose is coated with alginate.

46. (previously presented) A method of encapsulation comprising supplying two films of material capable of deforming plastically on heating and/or when partially solvated; heating the films and/or applying solvent; forming the films into suitably shaped capsule portions; supplying respective substances to be encapsulated to capsule portions of each film; supplying a respective film of a dividing septum material to each of the filled capsule portions; and sealing the capsule portions and septum material together to form a capsule having at least two separate chambers.

47. (previously presented) Encapsulation apparatus comprising means for supplying two films of material to an encapsulation unit; means for plastically deforming each film to form suitably shaped capsule portions; means for supplying respective substances to be encapsulated to the respective capsule portions of each film; means for

Serial No. 10/701,293

Docket No. 3399-4006US1

supplying a respective film of dividing septum material to each of the filled capsule portions;  
and means for sealing together the capsule portions and septum material to produce a capsule  
having at least two separate chambers.

48. (new) The method of claim 46, wherein the dividing wall or septum  
comprises two layers of material.

49. (new) The encapsulation apparatus of claim 47, wherein the dividing  
wall or septum comprises two layers of material.

50. (new) A capsule formed by the method of claim 46.